

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	408	contact same window same housing and substrate same contact	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/06/03 18:47
L2	144	contact same window same housing and substrate same contact and adhesive	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/06/03 18:54
L3	45	contact same window same housing and substrate same contact and adhesive and spring	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/06/03 18:48
L4	1053	(257/678).CCLS.	USPAT	OR	OFF	2005/06/03 18:52
L5	0	I1 and I4	USPAT	OR	OFF	2005/06/03 18:52
L6	0	("I1andI4").PN.	USPAT	OR	OFF	2005/06/03 18:52
L7	0	L4 and L1	USPAT	OR	OFF	2005/06/03 18:52
L8	424	(257/680).CCLS.	USPAT	OR	OFF	2005/06/03 18:53
L9	0	("I1andI8").PN.	USPAT	OR	OFF	2005/06/03 18:54
L10	3	I1 and I8	USPAT	OR	OFF	2005/06/03 18:54
L11	1	("0000257").PN.	USPAT	OR	OFF	2005/06/03 18:54